Author Index

Adler, A. J., see Crabtree, D. V. 543(1991)405
Amano, H., see Takamura, K. 543(1991)241
Arnason, J. T., see Xie, Y. S. 543(1991)389
Arnold, F. H., see Wuenschell, G. E. 543(1991)345
Asztemborska, M., see Ochocka, R. J. 543(1991)171
Asztemborska, M., see Sybilska, D. 543(1991)397
Atkinson, J., see Xie, Y. S. 543(1991)389
Ayyangar, N. R., Tambe, A. S. and Biswas, S. S. Crown ethers as stationary phases in gas chromatography. Comparison between dibenzo-18-crown-6, dibenzo-24-crown-8 and dicyclohexano-24-crown-8 with respect to polarity, selectivity and stability 543(1991)179
Benvenuti, S., see Vampa, G. 543(1991)479
Berger, A., see Lie Ken Jie, M. S. F. 543(1991)257
Berger, R. G., see Lie Ken Jie, M. S. F. 543(1991)257
Bezard, J., see Maniongui, C. 543(1991)81
Bilic, N. Assay for both ascorbic and dehydroascorbic acid in dairy foods by high-performance liquid chromatography using precolumn derivatization with methoxy- and ethoxy-1,2-phenylenediamine 543(1991)367
Biswas, S. S., see Ayyangar, N. R. 543(1991)179
Boissinot, P., see Subra, P. 543(1991)413
Bowker, M. J., see Leigh, P. H. 543(1991)211
Bugaut, M., see Maniongui, C. 543(1991)81
Burini, G. and Damiani, P. Determination of sorbic acid in margarine and butter by high-performance liquid chromatography with fluorescence detection 543(1991)69
Chen, B. H., Yang, S. H. and Han, L. H. Characterization of major carotenoids in water convolvulus (*Ipomoea aquatica*) by open-column, thin-layer and high-performance liquid chromatography 543(1991)147
Chervet, J. P., Van Soest, R. E. J. and Ursem, M. Z-Shaped flow cell for UV detection in capillary electrophoresis 543(1991)439
Chesney, D. J., see Thomson, C. A. 543(1991)187
Chi, H., Wang, Y.-P., Zhou, T.-H. and Jin, C.-L. Determination of the anticancer drug bruceoside-A in the Chinese drug Yadanzi (*Brucea Javanica* Merr.) 543(1991)250
Choi, C. Y. C., see Lie Ken Jie, M. S. F. 543(1991)257
Chu, D. Z. J., see Kuo, K.-W. 543(1991)463
Cox, J. A. and Dabek-Zlotorzynska, E. High-performance liquid chromatography of sulfur-containing amino acids and related compounds with amperometric detection at a modified electrode 543(1991)226
Crabtree, D. V. and Adler, A. J. Derivatization of hydroxyeicosatetraenoic acid methyl esters with pentafluorobenzoic anhydride and analysis with supercritical fluid chromatography–chemical ionization mass spectrometry 543(1991)405
Crimmins, D. L. and Emerson Holtzer, M. Chromatographic and physical studies of tropomyosin in aqueous–organic media at low pH 543(1991)327
Cserháti, T. Anomalous retention behaviour of some synthetic nucleosides on aluminium oxide layers 543(1991)425
Dabek-Zlotorzynska, E., see Cox, J. A. 543(1991)226
Damiani, P., see Burini, G. 543(1991)69
Daško, Ľ. Application of the UNIFAC method for assessment of retention in reversed-phase liquid chromatography 543(1991)267
Desbène, P.-L., see Oliveros, L. 543(1991)277
Desmazières, B., see Oliveros, L. 543(1991)277
Emerson Holtzer, M., see Crimmins, D. L. 543(1991)327
Florance, J. and Konteatis, Z. Chiral high-performance liquid chromatography of aromatic cyclic dipeptides using cyclodextrin stationary phases 543(1991)299
Gauthier, S., see Maniongui, C. 543(1991)81
Geerdink, R. B. Direct determination of metamitron in surface water by large sample volume injection 543(1991)244
Gilbert, J., see Sharman, M. 543(1991)220
Gilmore, A. M. and Yamamotoo, H. Y. Resolution of lutein and zeaxanthin using a non-endcapped, lightly carbon-loaded C_{18} high-performance liquid chromatographic column 543(1991)137

Author Index

Adler, A. J., see Crabtree, D. V. 543(1991)405
Amano, H., see Takamura, K. 543(1991)241
Arnason, J. T., see Xie, Y. S. 543(1991)389
Arnold, F. H., see Wuenschell, G. E. 543(1991)345
Asztemborska, M., see Ochocka, R. J. 543(1991)171
Asztemborska, M., see Sybilska, D. 543(1991)397
Atkinson, J., see Xie, Y. S. 543(1991)389
Ayyangar, N. R., Tambe, A. S. and Biswas, S. S. Crown ethers as stationary phases in gas chromatography. Comparison between dibenzo-18-crown-6, dibenzo-24-crown-8 and dicyclohexano-24-crown-8 with respect to polarity, selectivity and stability 543(1991)179
Benvenuti, S., see Vampa, G. 543(1991)479
Berger, A., see Lie Ken Jie, M. S. F. 543(1991)257
Berger, R. G., see Lie Ken Jie, M. S. F. 543(1991)257
Bezard, J., see Maniongui, C. 543(1991)81
Bilic, N. Assay for both ascorbic and dehydroascorbic acid in dairy foods by high-performance liquid chromatography using precolumn derivatization with methoxy- and ethoxy-1,2-phenylenediamine 543(1991)367
Biswas, S. S., see Ayyangar, N. R. 543(1991)179
Boissinot, P., see Subra, P. 543(1991)413
Bowker, M. J., see Leigh, P. H. 543(1991)211
Bugaut, M., see Maniongui, C. 543(1991)81
Burini, G. and Damiani, P. Determination of sorbic acid in margarine and butter by high-performance liquid chromatography with fluorescence detection 543(1991)69
Chen, B. H., Yang, S. H. and Han, L. H. Characterization of major carotenoids in water convolvulus (*Ipomoea aquatica*) by open-column, thin-layer and high-performance liquid chromatography 543(1991)147
Chervet, J. P., Van Soest, R. E. J. and Ursem, M. Z-Shaped flow cell for UV detection in capillary electrophoresis 543(1991)439
Chesney, D. J., see Thomson, C. A. 543(1991)187
Chi, H., Wang, Y.-P., Zhou, T.-H. and Jin, C.-L. Determination of the anticancer drug bruceoside-A in the Chinese drug Yadanzi (*Brucea Javanica* Merr.) 543(1991)250
Choi, C. Y. C., see Lie Ken Jie, M. S. F. 543(1991)257
Chu, D. Z. J., see Kuo, K.-W. 543(1991)463
Cox, J. A. and Dabek-Zlotorzynska, E. High-performance liquid chromatography of sulfur-containing amino acids and related compounds with amperometric detection at a modified electrode 543(1991)226
Crabtree, D. V. and Adler, A. J. Derivatization of hydroxyeicosatetraenoic acid methyl esters with pentafluorobenzoic anhydride and analysis with supercritical fluid chromatography–chemical ionization mass spectrometry 543(1991)405
Crimmins, D. L. and Emerson Holtzer, M. Chromatographic and physical studies of tropomyosin in aqueous–organic media at low pH 543(1991)327
Cserháti, T. Anomalous retention behaviour of some synthetic nucleosides on aluminium oxide layers 543(1991)425
Dabek-Zlotorzynska, E., see Cox, J. A. 543(1991)226
Damiani, P., see Burini, G. 543(1991)69
Daško, Ľ. Application of the UNIFAC method for assessment of retention in reversed-phase liquid chromatography 543(1991)267
Desbène, P.-L., see Oliveros, L. 543(1991)277
Desmazières, B., see Oliveros, L. 543(1991)277
Emerson Holtzer, M., see Crimmins, D. L. 543(1991)327
Florance, J. and Konteatis, Z. Chiral high-performance liquid chromatography of aromatic cyclic dipeptides using cyclodextrin stationary phases 543(1991)299
Gauthier, S., see Maniongui, C. 543(1991)81
Geerdink, R. B. Direct determination of metamitron in surface water by large sample volume injection 543(1991)244
Gilbert, J., see Sharman, M. 543(1991)220
Gilmore, A. M. and Yamamotoo, H. Y. Resolution of lutein and zeaxanthin using a non-endcapped, lightly carbon-loaded C_{18} high-performance liquid chromatographic column 543(1991)137

Goronowicz, J., see Ochocka, R. J. 543(1991)171
Govindraj, N., see Singhal, R. P. 543(1991)17
Greenaway, W. and Whatley, F. R.
Synthesis of esters of acetyloxycaffeic acids and their occurrence in poplar bud exudates 543(1991)113
Gresti, J., see Maniongui, C. 543(1991)81
Gutmann, V., see Han, L.-F. 543(1991)123
Han, L.-F., Nowicky, W. and Gutmann, V.
Reversed-phase high-performance liquid chromatographic separation of tertiary and quaternary alkaloids from *Chelidonium majus* L. 543(1991)123
Han, L. H., see Chen, B. H. 543(1991)147
Harima, N., see Takamura, K. 543(1991)241
Hobbs, T. R., see Krueger, R. J. 543(1991)451
Hoshino, H., see Takamura, K. 543(1991)241
Inoue, T., see Ohta, T. 543(1991)59
Jin, C.-L., see Chi, H. 543(1991)250
Jurczak, J., see Sybilska, D. 543(1991)397
Kakita, H., Nakamura, K., Kato, Y., Oda, Y., Shimura, K. and Kasai, K.-I.
High-performance affinity chromatography of a chick lectin on an adsorbent based on hydrophilic polymer gel 543(1991)315
Karlsson, A. and Pettersson, C.
Enantiomeric separation of amines using N-benzoxycarbonylglycyl-L-proline as chiral additive and porous graphitic carbon as solid phase 543(1991)287
Kasai, K.-I., see Kakita, H. 543(1991)315
Kato, Y., see Kakita, H. 543(1991)315
Kavanagh, P. E., see Shalliker, R. A. 543(1991)157
Kern, J. R.
Chromatographic separation of the optical isomers of naproxen 543(1991)355
Kolic, T. M., see Thompson, T. S. 543(1991)49
Konteatis, Z., see Florance, J. 543(1991)299
Kostiainen, R. and Kuronen, P.
Use of 1-[*p*-(2,3-dihydroxypropoxy)-phenyl]-1-alkanones as retention index standards in the identification of trichothecenes by liquid chromatography–thermospray and dynamic fast atom bombardment mass spectrometry 543(1991)39
Kowalczyk, J., see Ochocka, R. J. 543(1991)171
Kowalczyk, J., see Sybilska, D. 543(1991)397
Krátká, J., see Porsch, B. 543(1991)1
Krueger, R. J., Hobbs, T. R., Mihal, K. A., Tehrani, J. and Zeece, M. G.
Analysis of endoproteinase Arg C action on adrenocorticotrophic hormone by capillary electrophoresis and reversed-phase high-performance liquid chromatography 543(1991)451
Kuo, K.-W., Yeh, H.-W., Chu, D. Z. J. and Yeh, Y.-C.
Separation and microanalysis of growth factors by Phast system gel electrophoresis and by DNA synthesis in cell culture 543(1991)463
Kuronen, P., see Kostiainen, R. 543(1991)39
Leigh, P. H. and Bowker, M. J.
Simple procedure involving derivatisation and thin-layer chromatography for the estimation of trace levels of halogenated alkylamines and their hydrolysis products in drug substances and formulations 543(1991)211
Lelyveld, G. P., see Van Beek, T. A. 543(1991)375
Li, S. and Purdy, W. C.
Liquid chromatographic separation of the enantiomers of dinitrophenyl amino acids using a β-cyclodextrin-bonded stationary phase 543(1991)105
Lie Ken Jie, M. S. F., Choi, C. Y. C., Berger, A. and Berger, R. G.
Re-examination of the fatty acid composition of *Biota orientalis* seed oil by gas chromatography–mass spectrometry of the picolinyl ester derivatives 543(1991)257
Lin, J.-T., Stafford, A. E., Steffens, G. L. and Murofushi, N.
Gradient C_{18} high-performance liquid chromatography of gibberellins 543(1991)471
MacPherson, K. A., see Thompson, T. S. 543(1991)49
Maniongui, C., Gresti, J., Bugaut, M., Gauthier, S. and Bezard, J.
Determination of bovine butterfat triacylglycerols by reversed-phase liquid chromatography and gas chromatography 543(1991)81
Melger, W. C., see Van Beek, T. A. 543(1991)375
Mihal, K. A., see Krueger, R. J. 543(1991)451
Minguillón, C., see Oliveros, L. 543(1991)277
Mislovičová, D., Novák, I. and Pašteka, M.
Coated silica and its behaviour in dye-affinity chromatography 543(1991)9
Morand, P., see Xie, Y. S. 543(1991)389

Mucha, I., Paluska-Ferencz, I. and Tóth, G.
Separation of ^{125}I-labelled derivatives of 5-hydroxy-6,8,11,14-eicosatetraenoic acid 543(1991)307
Murofushi, N., see Lin, J.-T. 543(1991)471
Nakamura, K., see Kakita, H. 543(1991)315
Nakamura, K., see Yamamoto, H. 543(1991)201
Nakatani, M., see Yamamoto, H. 543(1991)201
Novák, I., see Mislovičová, D. 543(1991)9
Nowicky, W., see Han, L.-F. 543(1991)123
Ochocka, R. J., Sybilska, D., Asztemborska, M., Kowalczyk, J. and Goronowicz, J.
Approach to direct chiral recognition of some terpenic hydrocarbon constituents of essential oils by gas chromatography systems via β-cyclodextrin complexation 543(1991)171
Oda, Y., see Kakita, H. 543(1991)315
Ohta, T., Inoue, T. and Takitani, S.
Application of an anhydrotrypsin-immobilized precolumn for selective separation of peptides having arginine or lysine at their C-termini by column-switching high-performance liquid chromatography 543(1991)59
Oliveros, L., Minguillón, C., Desmazières, B. and Desbène, P.-L.
Preparation and evaluation of chiral high-performance liquid chromatographic stationary phases of mixed character (π-donor and π-acceptor) for the resolution of racemic compounds 543(1991)277
Paluska-Ferencz, I., see Mucha, I. 543(1991)307
Pašteka, M., see Mislovičová, D. 543(1991)9
Perfetti, T. A. and Swadesh, J. K.
On-line determination of the optical purity of nicotine 543(1991)129
Pettersson, C., see Karlsson, A. 543(1991)287
Philogène, B. J. R., see Xie, Y. S. 543(1991)389
Polański, J. and Ratajczak, A.
Determination of the lipophilicity of arylsulphonylalkanoic and arylsulphonylcycloalkanecarboxylic acids by thin-layer chromatography 543(1991)195
Porsch, B. and Krátká, J.
Chromatographic stability of silica-based aminopropyl-bonded stationary phases 543(1991)1
Purdy, W. C., see Li, S. 543(1991)105
Ramamurthy, B., see Singhal, R. P. 543(1991)17
Rantio, T., see Van Beek, T. A. 543(1991)375
Ratajczak, A., see Polański, J. 543(1991)195
Roth, M.
Enthalpy of transfer in supercritical fluid chromatography 543(1991)262
Russell, I. M., see Shalliker, R. A. 543(1991)157
Sarwar, Y., see Singhal, R. P. 543(1991)17
Scheeren, H. A., see Van Beek, T. A. 543(1991)375
Shalliker, R. A., Kavanagh, P. E. and Russell, I. M.
Reversed-phase gradient elution behaviour of polystyrenes in a dichloromethane–methanol solvent system 543(1991)157
Sharman, M. and Gilbert, J.
Automated aflatoxin analysis of foods and animal feeds using immunoaffinity column clean-up and high-performance liquid chromatographic determination 543(1991)220
Shimura, K., see Kakita, H. 543(1991)315
Shnek, D., see Wuenschell, G. E. 543(1991)345
Šimek, Z., Vespalec, R. and Šubert, J.
Elimination of the temperature-induced loss of the enantioselectivity of chemically bonded albumin 543(1991)475
Singhal, R. P., Ramamurthy, B., Govindraj, N. and Sarwar, Y.
New ligands for boronate affinity chromatography. Synthesis and properties 543(1991)17
Stafford, A. E., see Lin, J.-T. 543(1991)471
Stankiewicz, T., see Sybilska, D. 543(1991)397
Steffens, G. L., see Lin, J.-T. 543(1991)471
Šubert, J., see Šimek, Z. 543(1991)475
Subra, P. and Boissinot, P.
Supercritical fluid extraction from a brown alga by stagewise pressure increase 543(1991)413
Sugahara, T., see Takamura, K. 543(1991)241
Swadesh, J. K., see Perfetti, T. A. 543(1991)129
Sybilska, D., Kowalczyk, J., Asztemborska, M., Stankiewicz, T. and Jurczak, J.
Chromatographic analysis of some commercial samples of camphene via cyclodextrin inclusion processes 543(1991)397
Sybilska, D., see Ochocka, R. J. 543(1991)171
Takamura, K., Hoshino, H., Harima, N., Sugahara, T. and Amano, H.
Identification of vitamin D_2 by thermospray-interface mass spectrometry 543(1991)241
Takitani, S., see Ohta, T. 543(1991)59
Tambe, A. S., see Ayyangar, N. R. 543(1991)179
Tehrani, J., see Krueger, R. J. 543(1991)451
Terada, H., see Yamamoto, H. 543(1991)201
Thompson, T. S., Kolic, T. M. and MacPherson, K. A.
Dual-column high-performance liquid chromatographic cleanup procedure for the determination of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in fish tissue 543(1991)49

Thomson, C. A. and Chesney, D. J.
Post-extraction solvent flush of the pressure restrictor in supercritical fluid extraction 543(1991)187
Todd, R., see Wuenschell, G. E. 543(1991)345
Tóth, G., see Mucha, I. 543(1991)307
Tran, C. D., see Xu, M. 543(1991)233
Ursem, M., see Chervet, J. P. 543(1991)439
Vampa, G. and Benvenuti, S.
Separation of 18α- and 18β-glycyrrhetinic acid by high-performance thin-layer chromatographic densitometry 543(1991)479
Van Beek, T. A., Scheeren, H. A., Rantio, T., Melger, W. C. and Lelyveld, G. P.
Determination of ginkgolides and bilobalide in *Ginkgo biloba* leaves and phytopharmaceuticals 543(1991)375
Van der Greef, J.
HPLC of biological macromolecules (edited by K. M. Gooding and F. E. Regnier) (Book Review) 543(1991)483
Van Soest, R.E.J., see Chervet, J.P. 543(1991)439
Vespalec, R., see Šimek, Z. 543(1991)475
Wang, Y.-P., see Chi, H. 543(1991)250
Wen, E., see Wuenschell, G. E. 543(1991)345
Whatley, F. R., see Greenaway, W. 543(1991)113
Wuenschell, G. E., Wen, E., Todd, R., Shnek, D. and Arnold, F. H.
Chiral copper–chelate complexes alter selectivities in metal affinity protein partitioning 543(1991)345
Xie, Y. S., Atkinson, J., Arnason, J. T., Morand, P. and Philogène, B. J. R.
Separation and quantification of 1,4-benzoxazin-3-ones and benzoxazolin-2-ones in maize root extract by high-performance liquid chromatography 543(1991)389
Xu, M. and Tran, C. D.
High-performance liquid chromatographic separation of racemic and diastereomeric mixtures of 2,4-pentadienoate–iron tricarbonyl derivatives 543(1991)233
Yamamoto, H., Nakamura, K., Nakatani, M. and Terada, H.
Determination of phospholipids on two-dimensional thin-layer chromatographic plates by imaging densitometry 543(1991)201
Yamamotoo, H. Y., see Gilmore, A. M. 543(1991)137
Yang, S. H., see Chen, B. H. 543(1991)147
Yeh, H.-W., see Kuo, K.-W. 543(1991)463
Yeh, Y.-C., see Kuo, K.-W. 543(1991)463
Zeece, M. G., see Krueger, R. J. 543(1991)451
Zhou, T.-H., see Chi, H. 543(1991)250